

METHYLCYCLOHEXANE

MCY

CAUTIONARY RESPONSE INFORMATION

Common Synonyms Cyclohexylmethane Hexahydrotoluene Sextone B Toluene, hexahydro UN 2296 (DOT)	Liquid	Colorless	Faint benzene-like odor
<p>Keep people away. Evacuate area. Shut off ignition sources. Call fire department. Avoid contact with liquid and vapor. Stay upwind and use water spray to "knock down" vapor. Notify local health and pollution control agencies.</p>			
Fire	<p>FLAMMABLE. Flashback along vapor trail may occur. Vapor may explode if ignited in an enclosed area. Water may be ineffective on fire. Wear self-contained breathing apparatus and protective clothing. Extinguish with alcohol foam, dry chemical or CO₂. Cool exposed containers with water.</p>		
Exposure	<p>CALL FOR MEDICAL AID.</p> <p>VAPOR Irritating to eyes, nose and throat. If inhaled, will cause dizziness, lightheadness, drowsiness, nausea, vomiting or loss of consciousness. Move to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen.</p> <p>LIQUID Irritating to skin and eyes. Harmful if swallowed. Remove contaminated clothing and shoes. Flush affected areas with plenty of water. IF IN EYES, hold eyelids open and flush with plenty of water.</p>		
Water Pollution	<p>Effect of low concentrations on aquatic life is unknown. Fouling to shoreline. May be dangerous if it enters water intakes. Notify local health and pollution control officials. Notify operators of nearby water intakes.</p>		

1. CORRECTIVE RESPONSE ACTIONS

Stop discharge

2. CHEMICAL DESIGNATIONS

- 2.1 CG Compatibility Group: 31; Paraffins
- 2.2 Formula: C₆H₁₂
- 2.3 IMO/UN Designation: 3.2/2296
- 2.4 DOT ID No.: 2296
- 2.5 CAS Registry No.: 108-87-2
- 2.6 NAERG Guide No.: 128
- 2.7 Standard Industrial Trade Classification: 51129

3. HEALTH HAZARDS

- 3.1 **Personal Protective Equipment:** Currently not available
- 3.2 **Symptoms Following Exposure:** Harmful if inhaled or swallowed. Vapor or mist is irritating to the eyes, mucous membrane and upper respiratory tract and skin. Narcotic effects and dermatitis.
- 3.3 **Treatment of Exposure:** INHALATION: Call for medical aid. Remove the victim to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. SKIN: Wash with soap and copious amounts of water. Immediate medical attention. EYES: Flush with copious amounts of water for at least 15 minutes.
- 3.4 **TLV-TWA:** 400 ppm
- 3.5 **TLV-STEL:** Not listed.
- 3.6 **TLV-Ceiling:** Not listed.
- 3.7 **Toxicity by Ingestion:** Grade 2; LD₅₀ = 2.25 g/kg mouse
- 3.8 **Toxicity by Inhalation:** Currently not available.
- 3.9 **Chronic Toxicity:** Currently not available
- 3.10 **Vapor (Gas) Irritant Characteristics:** Vapors cause a slight smarting of the eyes or respiratory system if present in high concentrations. The effect is temporary.
- 3.11 **Liquid or Solid Characteristics:** Minimum hazard. If spilled on clothing and allowed to remain, may cause smarting and reddening of skin.
- 3.12 **Odor Threshold:** Currently not available
- 3.13 **IDLH Value:** 1,200 ppm
- 3.14 **OSHA PEL-TWA:** 500 ppm
- 3.15 **OSHA PEL-STEL:** Not listed.
- 3.16 **OSHA PEL-Ceiling:** Not listed.
- 3.17 **EPA AEGL:** Not listed

4. FIRE HAZARDS

- 4.1 **Flash Point:** 25°F C.C.
- 4.2 **Flammable Limits in Air:** LEL 1.1%; UEL 6.7%
- 4.3 **Fire Extinguishing Agents:** Carbon dioxide, dry chemical, alcohol foam.
- 4.4 **Fire Extinguishing Agents Not to Be Used:** Water may be ineffective.
- 4.5 **Special Hazards of Combustion Products:** Vapor may travel considerable distance to a source of ignition and flashback containing explosion may occur during fire conditions. Forms explosive mixtures in air.
- 4.6 **Behavior in Fire:** Currently not available
- 4.7 **Auto Ignition Temperature:** 482°F
- 4.8 **Electrical Hazards:** Currently not available
- 4.9 **Burning Rate:** Currently not available
- 4.10 **Adiabatic Flame Temperature:** Currently not available
- 4.11 **Stoichiometric Air to Fuel Ratio:** 50.0 (calc.)
- 4.12 **Flame Temperature:** Currently not available
- 4.13 **Combustion Molar Ratio (Reactant to Product):** 14.0 (calc.)
- 4.14 **Minimum Oxygen Concentration for Combustion (MOCC):** Not listed

5. CHEMICAL REACTIVITY

- 5.1 **Reactivity with Water:** No reaction
- 5.2 **Reactivity with Common Materials:** No reaction
- 5.3 **Stability During Transport:** Stable
- 5.4 **Neutralizing Agents for Acids and Caustics:** Not pertinent
- 5.5 **Polymerization:** Will not occur
- 5.6 **Inhibitor of Polymerization:** Not pertinent

6. WATER POLLUTION

- 6.1 **Aquatic Toxicity:** Currently not available
- 6.2 **Waterfowl Toxicity:** Currently not available
- 6.3 **Biological Oxygen Demand (BOD):** Currently not available
- 6.4 **Food Chain Concentration Potential:** Currently not available
- 6.5 **GESAMP Hazard Profile:** Bioaccumulation: 0
Damage to living resources: 2
Human Oral hazard: 1
Human Contact hazard: II
Reduction of amenities: XXX

7. SHIPPING INFORMATION

- 7.1 **Grades of Purity:** 99+%
- 7.2 **Storage Temperature:** Ambient
- 7.3 **Inert Atmosphere:** Currently not available
- 7.4 **Venting:** Currently not available
- 7.5 **IMO Pollution Category:** (C)
- 7.6 **Ship Type:** 3
- 7.7 **Barge Hull Type:** Currently not available

8. HAZARD CLASSIFICATIONS

- 8.1 **49 CFR Category:** Flammable liquid
- 8.2 **49 CFR Class:** 3
- 8.3 **49 CFR Package Group:** II
- 8.4 **Marine Pollutant:** No
- 8.5 **NFPA Hazard Classification:**

Category	Classification
Health Hazard (Blue).....	2
Flammability (Red).....	3
Instability (Yellow).....	0
- 8.6 **EPA Reportable Quantity:** Not listed.
- 8.7 **EPA Pollution Category:** Not listed.
- 8.8 **RCRA Waste Number:** Not listed
- 8.9 **EPA FWPCA List:** Not listed

9. PHYSICAL & CHEMICAL PROPERTIES

- 9.1 **Physical State at 15° C and 1 atm:** Liquid
- 9.2 **Molecular Weight:** 98.21
- 9.3 **Boiling Point at 1 atm:** 213.8°F = 101°C = 374.2°K
- 9.4 **Freezing Point:** -194.8°F = -126°C = 147.2°K
- 9.5 **Critical Temperature:** Currently not available
- 9.6 **Critical Pressure:** Currently not available
- 9.7 **Specific Gravity:** 0.770
- 9.8 **Liquid Surface Tension:** Currently not available
- 9.9 **Liquid Water Interfacial Tension:** Currently not available
- 9.10 **Vapor (Gas) Specific Gravity:** 3.4
- 9.11 **Ratio of Specific Heats of Vapor (Gas):** Currently not available
- 9.12 **Latent Heat of Vaporization:** Currently not available
- 9.13 **Heat of Combustion:** Currently not available
- 9.14 **Heat of Decomposition:** Currently not available
- 9.15 **Heat of Solution:** Currently not available
- 9.16 **Heat of Polymerization:** Currently not available
- 9.17 **Heat of Fusion:** Currently not available
- 9.18 **Limiting Value:** Currently not available
- 9.19 **Reid Vapor Pressure:** 1.611 psia

NOTES

METHYLCYCLOHEXANE

MCY

9.20 SATURATED LIQUID DENSITY		9.21 LIQUID HEAT CAPACITY		9.22 LIQUID THERMAL CONDUCTIVITY		9.23 LIQUID VISCOSITY	
Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F	Temperature (degrees F)	British thermal unit inch per hour-square foot-F	Temperature (degrees F)	Centipoise
	C U R R E N T L Y N O T A V A I L A B L E		C U R R E N T L Y N O T A V A I L A B L E		C U R R E N T L Y N O T A V A I L A B L E		C U R R E N T L Y N O T A V A I L A B L E

9.24 SOLUBILITY IN WATER		9.25 SATURATED VAPOR PRESSURE		9.26 SATURATED VAPOR DENSITY		9.27 IDEAL GAS HEAT CAPACITY	
Temperature (degrees F)	Pounds per 100 pounds of water	Temperature (degrees F)	Pounds per square inch	Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F
	I N S O L U B I L I T Y	-33 7 26 48 68 72 87 100 108 139 175 214	0.019 0.097 0.193 0.387 0.716 0.774 1.160 1.611 1.934 3.867 7.735 14.696		C U R R E N T L Y N O T A V A I L A B L E	0 25 50 75 100 125 150 175 200 225 250 275 300 325 350 375 400 425 450 475 500 525 550 575 600	0.269 0.288 0.306 0.325 0.343 0.361 0.378 0.395 0.412 0.429 0.445 0.461 0.477 0.492 0.507 0.522 0.536 0.550 0.564 0.578 0.591 0.604 0.617 0.630 0.642